		ILJLA	CONFORATIO				
		PO BOX 1	14132, Dubai	, UAE			
		MATERIAL	SAFETY DATA	SHEET			
	S	ection 1 - PRC	DUCT IDENT	IFICATION			
SUPPLIER		EMERGENCY TELEPHONE NUMBERS					
TESLA Corporation,				Company (+971) 561144201			
PO BOX 114132, Dubai, U	JAE						
CHEMICAL NAME AND SYNO	TRADE NAME AND SYNONYMS						
Not applicable			CORSA SYN 68				
CHEMICAL FAMILY	FORMULA						
Hydrocarbon			Not applicable				
	Section II -	TYPICAL CHEN	/ICAL AND P	HYSICAL PR	OPERTIES		
APPEARANCE	APPEARANCE Clear bright yellow liquid			Viscosity, cst at 40 [°] C			
ODOR	Lube Oil odo	r		Viscosit	/, cst at 100 [°] C	11	
RELATIVE DENSITY (Air=1)	>1	рН	6-8	Solubilit	y in Water	NEGLIGIBLE	
MELTING POINT, C	> 260			Flash Po	C 240		
VAPUK PRESSURE (IIIIII Hg at 15.0 C) <5				Sp. Gravity ($H_2U=1$)		0.88 approx	
		Section	II - INGREDIE	INTS			
HAZARDOUS INGREDIENTS	Wt. P	ct	TLV		ORAL	DERMAL	
	(Appr	ox)			LD 50	LD 50	
Oil Mist (mineral)	<2.0		5 mg/m - TW/		Unknown	Unknown	
Diphenyl amine	<0.1		10 mg/m [°] - TWA Ur		Unknown	Unknown	
Methylenebridged alkyl phenols <1.0			Unknown		16000 mg/kg	>3600 mg/kg	
Polyalfaolefins 70-80		5 mg/m ̃		>40 ml/kg	Unknown		
Organic ester	15-25		5 mg/n	ก้	Unknown	Unknown	
NON-HAZARDOUS INGREDIE	NTS						
ADDITIVE AND/OR OTHER INGRED							
ingredients, their C.A.S numbers an	-				-		
listing of hazardous ingredients dis							
This material is an automotive/ind	ustrial lubricant with	n a low odor of toxi	city and irritancy.	The products is	formualted with ingre	dients that are	
not designated as harmful to ozone							
REGULATORY INFORMATION	1:						

TESLA CORPORATION

REGULATORY INFORMATION:

SARA Title III: This produt does not contain any chemcial substance on the SARA Extremely Hazardous Substances List. If this product contains any chemicals that are subject to the reporting requirements of Section 31 of Title III of the Superfund Amendments and Re-authorization Act of 1986 and 40 CFR Part 372, they will be listed in the above HAZARDOUS INGREDIENTS section.

TSCA: This material is in compliance with the Toxic Substances Control Act (15 USC 2601-2629) and all components of this product appear on the Toxic Substance Control Act (TSCA) inventory list

Clean Air Act: No ozone depleting chemicals listed in Title VI, Stratospheric Ozone Protection, Section 602 of the Clean Air Act are present or used in the manufacturing process of this product

Section IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT, [°] C (Method)	240	COC	FLAMMABLE LIMITS:	LEL	UEL
				Unknown	

EXTINGUISHING MEDIA

Foam, dry chemical, water fog or carbon dioxide

SPECIAL FIRE FIGHTING PROCEDURES

Do not direct a solid stream of water into fire. Treat as a petroleum fire. Respiratory protection required for fire fighting personnel UNUSUAL FIRE AND EXPLOSION HAZARDS

None

Section V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE (If Established) Not established. Oil Mist = 5 mg/m⁻

EFFECTS OF OVEREXPOSURE

Although there are no consistent primary routes of entry, the product may cause mild dermatitis upon prolonged contact and is expected to be an eye and lung irritant. An existing skin, eye or lung irritation may be aggravated by direct contact. No components are listed on the OSHA, IARC or NTP list of carcinogens

SECTION VI - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT

Flush immeidately with water until irritation subsides SKIN CONTACT Wash affected skin area with mild soap and water CORSA SYN 68 Effective Date 1-Dec-11 Print Date:

3/19/2014 **TESLA CORPORATION** PO BOX 114132, Dubai, UAE Page 1 of 2

TRADE NAME AND SYNONYMS CORSA SYN 68 INGESTION Do not induce vomitting. Contact a Physician INHALATION Remove to fresh air. If not breathing, give artificial respiration. Contact a physician **SECTION VII - REACTIVITY DATA** STABILITY (Thermal, Light, Etc.) CONDITIONS TO AVOID Stable Contact with nuclear radiation and strong oxidising agents **INCOMPATIBILITY** (Materials to avoid) Strong oxidizing materials HAZARDOUS DECOMPOSITION PRODUCTS Dense smoke, oxides of C, S, Mg, Ca, N, P, Zn and B. hydrogen sulfide HAZARDOUS POLYMERIZATION Will not occur SECTION VIII SPILL OR LEAK PROCEDURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Remove all sources of ignition. Treat as a petroleum oil spill WASTE DISPOSAL METHOD Incinerate where permitted under federal, state and local laws. Used petroleum products may be recycled through re-refining process EYE PROTECTION Sufficient to avoid direct contact SKIN PROTECTION Protective neoprene or plastic gloves may be desired **RESPIRATORY PROTECTION** Usually not needed in o pen, unconfined areas VENTILATION Usually not needed in open, unconfined areas OTHER Usualy not needed

MATERIAL SAFETY DATA SHEET

SECTION IX SPECIAL PRECUATIONS

Close containers when not in use. Keep away from heat, sparks, open flames, and strong oxidants. Avoid eye contact and prolonged skin contat. Avoid breathing oil mists. Wash thoroughly after handling

SECTION X HAZARD RATINGS

There are several recognised and acceptes systems that assign hazard ratings to materials. Although this product has not been evaluated specifically against these systems, the ratings for the National Fire Protection Association (NFPS) and the National Paint and Coating Association's Hazardous Material Identification Systems (HMIS) are:

	NFPA	HMIS
Health	2	1
flammability	1	1
Reactivity	1	1

Print Date:

3/19/2014